

# Documentation of module InputCalculator

## TOPIC OF DOCUMENT

This is the documentation of module InputCalculator

### Log of versions of document

Author	Date	Version
--- SuperAdmin <a href="mailto:a.weer.wolf@gmail.com">a.weer.wolf@gmail.com</a> ---	2025-03-01	Version 1.0

**NOTE** | This document was generated using Dolibarr ERP CRM process

## INTRODUCTION

### Features

Description of the module...

Other external modules are available on [Dolistore.com](<https://www.dolistore.com>).

### Translations

Translations can be completed manually by editing files in the module directories under **langs**.

### Installation

Prerequisites: You must have Dolibarr ERP & CRM software installed. You can download it from [Dolistore.org](<https://www.dolibarr.org>). You can also get a ready-to-use instance in the cloud from <https://saas.dolibarr.org>

#### From the ZIP file and GUI interface

If the module is a ready-to-deploy zip file, so with a name **module\_inputcalculator-1.0.zip** (e.g., when downloading it from a marketplace like [Dolistore](<https://www.dolistore.com>)), go to menu **Home > Setup > Modules > Deploy external module** and upload the zip file.

Note: If this screen tells you that there is no "custom" directory, check that your setup is correct:

## Final steps

Using your browser:

- Log into Dolibarr as a super-administrator
- Go to "Setup"> "Modules"
- You should now be able to find and enable the module

## Licenses

### Main code

GPLv3 or (at your option) any later version. See file COPYING for more information.

### Documentation

All texts and readme's are licensed under [GFDL](<https://www.gnu.org/licenses/fdl-1.3.en.html>).

# DATA SPECIFICATIONS

## Table of fields with properties for object InputCalculatorSetup :

---

code	type	label	enabled	position	visible	indexed	foreign	array	value	search	isame	css	css	css	help	show	picture
"rowid"			1	1													
"ref"			2	1													
"description"			60	0													

---

co ty la en po no vis no in de for ar al val se co isa css css css hel sh pic  
 de pe bel ab sit tn ibl te de fa eig ra wa id ar m me vie lis p ow to  
 led io ull e dit x ult nk yo ys ate ch me as w t on  
 n ab le ey fk edi all nt ur e co  
 m  
 bo  
 bo  
 x

---

"d  
 ate  
 \_cr  
 eat  
 io  
 n"

50 1  
 0

---

"t  
 ms  
 "

50 0  
 1

---

"fk  
 \_u  
 ser  
 \_cr  
 eat  
 "

51 1  
 0

---

"fk  
 \_u  
 ser  
 \_m  
 od  
 if"

51 -1  
 1

---

"la  
 st\_  
 ma  
 in\_  
 do  
 c"

60 0  
 0

---

"i  
 m  
 po  
 rt\_  
 ke  
 y"

10 -1  
 00

---

"u  
 rl"

---

3 0

---

```

co ty la en po no vis no in de for ar al val se co isa css css css hel sh pic
de pe bel ab sit tn ibl te de fa eig ra wa id ar m me   vie lis p ow to
      led io ull e  dit x  ult nk yo ys ate ch me as     w t   on
          n          ab      ey fk edi  all nt ur       e     co
              le          ey ta          e             m
                  val ble                          bo
                                          bo
                                          x

```

---

```

"fi          4  0
eld
na
me
"

```

---

```

"s          5  0
ho
wb
utt
on
"

```

---

```

"p          6  0
op
up
on
"

```

---

\_\_ end table for object InputCalculatorSetup

Not yet available

## MATRIX OF PERMISSIONS

Objects	Permission
<b>inputcalculatorsetup</b>	Read InputCalculatorSetup object of InputCalculator , Create/Update InputCalculatorSetup object of InputCalculator , Delete InputCalculatorSetup object of InputCalculator ,
**	,

## OTHER

*API\_DOC*

# CHANGELOG

## CHANGELOG INPUTCALCULATOR FOR [DOLIBARR ERP CRM](<https://www.dolibarr.org>)

1.0 Initial version